

M. Ruzhansky and J. Wirth

**CORRIGENDUM TO “DISPERSIVE ESTIMATES
FOR T -DEPENDENT HYPERBOLIC SYSTEMS”**

REND. SEM. MAT. UNIV. POLITEC. TORINO 66, 4 (2008), 339–349

Due to a typographical error, the norm $\|U(t, \cdot)\|_{L^q}$ in Theorem 5 was replaced by $\|U(t, \cdot)\|_{L^\infty}$. The correct formulation of Theorem 5 on page 347 must read

THEOREM 5. *Assume (A1) $_{\ell, 2k}$ –(A4) in combination with (B) and let $\gamma_{\max} = \max_j \gamma(\Sigma^{(j)})$. If $\ell \geq k - 1 \geq \lfloor \frac{n-1}{\gamma_{\max}} \rfloor + 2$, $\ell \geq \gamma_{\max} + 1$ then the dispersive estimate*

$$\|U(t, \cdot)\|_{L^q} \leq C(1+t)^{-\frac{n-1}{\gamma_{\max}}(\frac{1}{p}-\frac{1}{q})} \|U_0\|_{H^{r,p}(\mathbb{R}^n)}$$

holds true for any solution $U = U(t, x)$ of (1) where $p \in [1, 2]$, $pq = p + q$ and $r > n(1/p - 1/q)$.

Michael RUZHANSKY, Jens WIRTH,
Department of Mathematics, Imperial College London,
180 Queen’s Gate, London, SW7 2AZ, UK
e-mail: m.ruzhansky@imperial.ac.uk, j.wirth@imperial.ac.uk

Pervenuto in redazione il 12.01.2010